



Date: \_\_\_\_\_



## 7.5 Scalar and Vector Projections

The projection of  $\vec{a}$  on  $\vec{b}$  is a line segment produced by drawing a line from the tip of  $\vec{a}$  that is perpendicular to  $\vec{b}$ . Because the projection ( $ON$ ) is a line segment and not a vector, it is called the scalar projection of  $\vec{a}$  on  $\vec{b}$ .



$ON$  is the scalar projection of  $\vec{a}$  on  $\vec{b}$ .


Notation:

$sproj(\vec{a} \text{ on } \vec{b})$


$sproj_{\vec{b}} \vec{a}$

Example: Draw the following scalar projections.


a)  $\vec{a}$  on to  $\vec{b}$



b)  $\vec{b}$  on to  $\vec{a}$




c)  $\vec{a}$  on to  $\vec{b}$



What information do we need to be able to calculate the length of a scalar projection?

Example: Calculate the scalar projections of  $\vec{a}$  on  $\vec{b}$  and  $\vec{b}$  on  $\vec{a}$  for vectors  $\vec{a} = (-3, 4, 5)$  and  $\vec{b} = (-2, 2, 1)$ .



### Direction Angles of a Vector in $\mathbb{R}^3$

Scalar projections can be used to determine the angles that a vector makes with each of the coordinate axes. These are called **direction angles**, and their corresponding cosine ratios are called **direction cosines**. You are projecting the vector in three space on to each of the coordinate axes.


Given vector  $\vec{OP} = (a, b, c)$ , you can find direction cosines by calculating the scalar projection of  $OP$  with each axis.

Let  $\alpha$ ,  $\beta$ , and  $\gamma$  be the angles that  $\vec{OP}$  makes with the positive  $x$ ,  $y$ , and  $z$  axis, respectively.

$$|\vec{OP}| \cos \alpha = \frac{\vec{OP} \cdot \vec{i}}{|\vec{OP}|}$$

$$\cos \alpha =$$

$$\cos \alpha =$$




**Example:** Determine the direction cosines for the vector  $\vec{a} = (3, 5, -2)$

What would you do to find the direction angles?

### Vector Projections

A vector projection of  $\vec{a}$  on  $\vec{b}$  is just the scalar projection multiplied by  $\frac{\vec{b}}{|\vec{b}|}$ , which is a unit vector pointing in the direction of  $\vec{b}$ .



Note that  $\vec{ON}$  now has direction indicated.

$\vec{ON}$  is the vector projection of  $\vec{a}$  on  $\vec{b}$ . Notation is the same, but with a  $v$ .

**Example:** Find the vector projection of  $\vec{a}$  on  $\vec{b}$  if  $\vec{a} = (3, -2, 4)$  and  $\vec{b} = (-1, 5, 2)$ .

